

- ✓ **Helps control dermatitis outbreaks. Use at first sign of outbreak. Helpful in reducing unwanted litter microbes and fungi. Use of this product should always be followed by application of IMPACT P(NA) at the regular rate.**

FOUR WAYS TO USE LITTER SHOCK

- **Mitigate dermatitis outbreaks: Apply at 1-lb./1,000 sq. ft. at first signs of outbreak.**
- **Reduce Salmonella exposure during feed withdrawal: Apply at 1-lb./1,000 sq. ft. 1-2 days before starting feed withdrawal.**
- **Jump start your regular Litter Shock litter management program: Apply at 1-lb./2,000 sq. ft. 1 day before applying IMPACT-P(NA).**
- **Reduce ammonia levels naturally and safely: Apply at 1-lb./1,000 sq. ft. at first signs of increasing ammonia.**



**SAFE FOR
USE WITH BIRDS**

INGREDIENTS: Bacillus blend (*Bacillus subtilis*, *Bacillus licheniformis*) on salt, sucrose, sodium bicarbonate, humic acid, monosodium phosphate, silicon dioxide.



IMPACT
poultry products

By Environmental Dynamics, Inc.

LITTER SHOCK

**HIGH POPULATION IMPACT
BACILLUS BACTERIA BLEND FOR IMPROVING
LITTER MICROBE CONDITIONS**

NET WEIGHT 10 POUNDS

DIRECTIONS FOR USE:

- **Apply 7-10 days after application of liquid acidifiers.**
- **Empty the contents of the bucket into 20-22 gallons of hot water (100- 120F). This will feel hot to the touch but not scalding. (If using less than the full 10-lbs. pail, mix with hot water at 1-lb. per 2 gallons.)**
- **Stir thoroughly and allow to sit in a warm area for 24 hours. It is not necessary to keep the water temperature hot, but it should not fall below room temperature (70F).**
- **If additional water is needed - to allow for easier application or to add moisture to dry litter - it should be room temperature and added just prior to spraying (DO NOT soak Litter Shock in more than recommended amount of water.)**
- **Stir thoroughly and spray evenly on floor. Use the largest nozzle available on equipment. Primary application should be in brooding area. Secondary application around water and feed lines.**

Impact Poultry Products
3142 Mercer University Drive
Macon GA 31204
800-448-4723
www.impactpoultryproducts.com